

Letter 2

ADAMS BROADWELL JOSEPH & CARDOZO

A PROFESSIONAL CORPORATION

ATTORNEYS AT LAW

801 GATEWAY BOULEVARD, SUITE 1000
SOUTH SAN FRANCISCO, CA 94080-7037

TEL: (850) 589-1860
FAX: (850) 589-5062

pncines@adamsbroadwell.com

SACRAMENTO OFFICE

520 CAPITOL MALL, SUITE 350
SACRAMENTO, CA 95814-4721

TEL: (916) 444-6201
FAX: (916) 444-8208

DANIEL L. CARDOZO
CHRISTINA M. CARO
YAIR CHAVER
SARA F. DUDLEY
THOMAS A. ENSLOW
TANYA A. GULESBERIAN
KYLE C. JONES
RACHAEL E. KOSS
NIRIT LOTAN
MILES F. MAURINO

MARC D. JOSEPH
Of Counsel

March 6, 2019

Via Email and U.S. Mail

Kevin Chun
Union Sanitary District
5072 Benson Road
Union City, CA 94587-2508
Email: kevinch@unionsanitary.ca.gov

Re: **Request for Immediate Access to Documents Referenced in the Mitigated Negative Declaration – Standby Power Generation System Upgrade Project**


Dear Mr. Chun:

We are writing on behalf of **California Unions for Reliable Energy ("CURE")** to request immediate access to any and all documents referenced or relied upon in the Mitigated Negative Declaration ("MND") prepared for the Union Sanitary District's ("Applicant") Standby Power Generation System Upgrade Project ("Project"). The Project includes, but is not limited to, a proposal to construct a new Standby Power Building located at the northern end of the Alvarado Wastewater Treatment Plant (WWTP) site. The building will contain two new 3.5 MW standby engine generators with space for two additional future minimum rated 3.5 MW generators and associated electrical equipment. Two new above ground diesel fuel storage tanks with capacities of 30,000 gallons each, with space for a future tank, will be located within a screen wall near the southwest corner of the Standby Power Building. A concrete equipment pad for future battery storage would also be located in this area. A duct bank corridor will extend along the western border of the WWTP connecting the new standby generators to a new substation.

2-1

Our request for all documents referenced or relied upon in the MND is made pursuant to the California Environmental Quality Act ("CEQA"), which requires

4568-001pae

 printed on recycled paper

March 5, 2019


Page 2

that all documents referenced in an environmental review document be made available to the public for the entire comment period.¹

Pursuant to Government Code section 6253.9, if the requested documents are in electronic format, please send them to us via a file transfer program such as Dropbox. Alternatively, if the documents are 10 MB or less (or can be easily broken into chunks of 10 MB or less), please email them to pencinas@adamsbroadwell.com as attachments. If any of the requested items are available on the Internet, we request that the County direct us to the appropriate electronic link(s) for accessing the documents.

I will be calling you to arrange for duplication/transmission of the documents. If you have any questions, please call our South San Francisco office at (650) 589-1660. Thank you for your assistance with this matter.

Sincerely,



Paul Encinas
Legal Assistant

PAE:lj1

¹ See Pub. Resources Code, § 21092, subd. (b)(1); 14 Cal. Code Reg. § 15072, subd. (g)(4).
4568-001pae